




# PREMIER PUMP & SUPPLY, INC.

PROVIDING YOU WITH THE VERY BEST SERVICE IN THE INDUSTRY!



## Smart Flow F-700 SERIES 200-240-480V

### NEMA-3R 1 PHASE 240V FUSED DISCONNECT

COMPLETE NEMA 3R METAL ENCLOSURE WITH TOUCH SCREEN & 3R WINDOW

PART #	FLA	ENC	VOLTAGE	H-W-D LBS	LIST PRICE
PPSFF7312005FG	20.4	N-3R	240	25 x 16 x 14.9 87lbs	7280.00
PPSFF7312007FG	29.4	N-3R	240	25 x 16 x 14.9 87lbs	7923.00
PPSFF7312010FG	37.8	N-3R	240	25 x 16 x 14.9 87lbs	9400.00
PPSFF7312015-20FG	46.3	N-3R	240	34 x 19 x 12 160lbs	10506.00

SIZE DRIVE PER FULL LOAD AMPS OF THE MANUFACTURES MOTOR  
OTHER SIZES AVAILABLE - CALL FOR QUOTE

### NEMA-3R 3 PHASE 200-240V FUSED DISCONNECT

COMPLETE NEMA 3R METAL ENCLOSURE WITH TOUCH SCREEN & 3R WINDOW


PART #	FLA	ENC	VOLTAGE	H-W-D LBS	LIST PRICE
PPSFF7332005FG	12.1-16.7	N-3R	200-240	20 x 14 x 14 65lbs	6266.00
PPSFF7332007FG	18.3-25.0	N-3R	200-240	25 x 16 x 14.9 87lbs	7188.00
PPSFF7332010FG	24.8-34.0	N-3R	200-240	25 x 16 x 14.9 87lbs	7372.00
PPSFF7332015-20FG	35.9-49.0	N-3R	200-240	25 x 16 x 14.9 87lbs	8386.00
PPSFF7332020-25FG	46.2-63.0	N-3R	200-240	34 x 19 x 12.0 160lbs	9215.00
PPSFF7332025-30FG	56.0-77.0	N-3R	200-240	34 x 19 x 12.0 160lbs	10320.00

SIZE DRIVE PER FULL LOAD AMPS OF THE MANUFACTURES MOTOR  
OTHER SIZES AVAILABLE - CALL FOR QUOTE



# PREMIER PUMP & SUPPLY, INC.

PROVIDING YOU WITH THE VERY BEST SERVICE IN THE INDUSTRY!



## Smart Flow F-700 SERIES 200-240-480V

### NEMA 3R 3 PHASE 480V FUSED DISCONNECT

COMPLETE NEMA 3R METAL ENCLOSURE WITH TOUCH SCREEN & 3R WINDOW

PART #	FLA	ENC	VOLTAGE	H-W-D LBS	LIST PRICE
PPSFF7334005FG	<b>6.0-8.3</b>	N-3R	480	20 x 14 x 14 65lbs	6357.00
PPSFF7334007FG	<b>9.2-12.6</b>	N-3R	480	20 x 14 x 14 65lbs	6817.00
PPSFF7334010FG	<b>12.4-17.0</b>	N-3R	480	25 x 16 x 14.9 87lbs	7686.00
PPSFF7334010-20FG	<b>18.3-25.0</b>	N-3R	480	25 x 16 x 14.9 87lbs	7740.00
PPSFF7334015-25FG	<b>22.7-31.0</b>	N-3R	480	25 x 16 x 14.9 87lbs	7926.00
PPSFF7334020-30FG	<b>27.8-38.0</b>	N-3R	480	34 x 19 x 12 160lbs	10320.00
PPSFF7334025-40FG	<b>34.4-47.0</b>	N-3R	480	34 x 19 x 12 160lbs	11611.00
PPSFF7334050FG	<b>45.4-62.0</b>	N-3R	480	34 x 19 x 12 160bs	12715.00
PPSFF7334060FG	<b>56.0-77.0</b>	N-3R	480	42 x 30 x 15 275lbs	17277.00
PPSFF7334060FGFS	<b>56.0-77.0</b>	N-3R	480	42 x 30 x 15 275lbs	17906.00
PPSFF7334075FG	<b>68.0-93.0</b>	N-3R	480	42 x 30 x 15 275lbs	17572.00
PPSFF7334075FGFS	<b>68.0-93.0</b>	N-3R	480	42 x 30 x 15 275lbs	18200.00
PPSFF7334100FG	<b>84.0-116.0</b>	N-3R	480	42 x 30 x 15 275lbs	20149.00
PPSFF7334100FGFS	<b>84.0-116.0</b>	N-3R	480	42 x 30 x 15 275lbs	20777.00

FS=FLOOR STANDS

**SIZE DRIVE PER FULL LOAD AMPS OF THE MANUFACTURES MOTOR  
OTHER SIZES AVAILABLE - CALL FOR QUOTE**




# PREMIER PUMP & SUPPLY, INC.

PROVIDING YOU WITH THE VERY BEST SERVICE IN THE INDUSTRY!

## SUBMERSIBLE PUMP CABLE

TYPE THW-TWISTED UNJACKETED with Ground 75°C/600V



TWISTED TYPE - TW "GROUNDED"				
SIZE	LIST PER/M	REEL LENGTH	CONDUCTOR	WEIGHT PER/M*
14/3G	CALL FOR CURRENT PRICES	500' OR 1000"	SOLID	104 LBS.
12/3G		500' OR 1000'	SOLID	140 LBS.
10/3G		500' OR 1000'	SOLID	199 LBS.
8/3G		500' OR 1000"	STRANDED	279 LBS.
6/3G		500' OR 1000'	STRANDED	427 LBS.
4/3G		500' OR 1000'	STRANDED	621 LBS.
2/3G		500' OR 1000'	STRANDED	876 LBS.

\* QUANTITY DISCOUNT: 4000' ORDER


\* SPECIAL NET PRICES WILL BE QUOTED ON A WEEKLY BASIS,  
DUE TO THE FLUCTUATING COPPER MARKET.

PAGE E - 3  
APRIL - 2009



**SUBMERSIBLE PUMP CABLE**

**TYPE THW-HEAVY DUTY FLAT JACKETED with Ground 75°C/600V**



HEAVY DUTY FLAT JACKETED - TYPE TW "GROUNDED"				
SIZE	LIST PER/M	REEL LENGTH	CONDUCTOR	WEIGHT PER/M
14/3G	CALL FOR CURRENT PRICES	500' OR 1000'	STRANDED	157 LBS.
12/3G		500' OR 1000'	STRANDED	204 LBS.
10/3G		500' OR 1000'	STRANDED	274 LBS.
8/3G		500' OR 1000'	STRANDED	425 LBS.
6/3G		500' OR 1000'	STRANDED	526 LBS.
4/3G		500' OR 1000'	STRANDED	709 LBS.
2/3G		500' OR 1000'	STRANDED	1044 LBS.
1/0G		BY FOOT	STRANDED	1532 LBS.
2/0G		BY FOOT	STRANDED	1862 LBS.

\* QUANTITY DISCOUNT: 4000' ORDER

\*SPECIAL NET PRICES WILL BE QUOTED ON A WEEKLY BASIS, DUE TO THE FLUCTUATING COPPER MARKET.



# PREMIER PUMP & SUPPLY, INC.

PROVIDING YOU WITH THE VERY BEST SERVICE IN THE INDUSTRY!

PART #	DESCRIPTION	LIST
PR522	3/4" X 22' RUBBER SPLICING TAPE	4.86
PR175	3/4" X 66' PREMIUM ELECTRICAL TAPE	5.02
ET-60	3/4" X 60' PVC ELECTRICAL TAPE	1.70
10MIL-2	2" X 100' 10MIL PIPE WRAP TAPE	9.70
10MIL-2-GREEN	2" X 100' PREMIUM 10MIL PIPE WRAP TAPE	12.25
QTY. DISCOUNT (100 ROLLS ET-60) (36 ROLLS OF 10MIL-2)		

## SPLICE KITS TAPE & BUTT CONNECTORS

NON INSULATED BUTT CONNECTORS			
PART #	WIRE SIZE	QTY. BUY	LIST EA
B016-BK	16 - 14	250	.16
B012-BK	12 - 10	250	.23
B08-BK	8	100	.57
B06-BK	6	100	.85
B04-BK	4	100	1.46
B02-BK	2	100	2.17

ADVANCE E & I HEAT SHRINK SPLICE KITS (4 WIRE)			
PART #	WIRE SIZE	QTY. BUY	LIST
A4C	14 - 10	50	5.30
K8C4	8	20	13.30
K6C4	6	20	15.00
K4C4	4	10	24.20
K24	2	5	27.60
ASH4 - 24"	14 - 6	10	14.20
ASH8 - 24"	6 - 1	10	15.30

ESP HEAT SHRINK SPLICE KITS (4 WIRE)			
PART #	WIRE SIZE	QTY. BUY	LIST
SP-4C	14-10	50	5.30
SP-12C (12 PACK)	14-10	5	18.00
SP-8C-HD4	8	20	11.30
SP-6C-HD4	6	20	19.95
SP-4C-HD4	4	20	22.00
SP-2C-HD4	2	20	26.00



PAGE E - 5  
OCTOBER - 2011



# PREMIER PUMP & SUPPLY, INC.

PROVIDING YOU WITH THE VERY BEST SERVICE IN THE INDUSTRY!

## NON-METALLIC ULTRATITE

\*RIGID PVC SPIRAL OFFERS  
MAXIMUM RIGIDITY,  
MAINTAINING CONSTANT I.D.  
\*SMOOTH OUTER WALL  
\*SMOOTH INNER WALL  
\*ELECTRICAL GRAY COLOR  
\*FLEXIBLE PVC MASS  
SURROUNDING RIGID SPIRAL  
HELIX ALLOWS MAXIMUM  
FLEXIBILITY

### FEATURES

\*SUNLIGHT RESISTANT  
\*CRUSH RESISTANT  
\*SUPERIOR FLEXIBILITY  
\*WON'T KINK OR FRACTURE  
\*SMOOTH INNER WALLS  
\*CUTS EASILY WITH A KNIFE  
\*CHEMICAL RESISTANT  
\*MOISTURE RESISTANT  
\*STANDARD DIMENSIONS  
\*JOINS WITH METALLIC OR  
PVC LIQUIDTIGHT FITTINGS  
\*NOT AFFECTED BY  
VIBRATION OR MOVEMENT  
\*HIGH IMPACT RESISTANCE  
\*LIGHTWEIGHT  
\*HIGH FATIGUE STRENGTH

ORDER #	SIZE	FEET	SHIP WT.	LIST
LT050KFC	1/2"	100'	14#	99.00
LT075KFC	3/4"	100'	15#	136.00
LT100KFC	1	100'	26#	222.00

QUANTITY DISCOUNT - 5 BOXES

### STRAIGHT CONNECTORS

ORDER #	SIZE	BOX QTY.	CASE QTY.	LIST
LTP050SC	1/2"	25	100	2.35
LTP075SC	3/4"	10	50	3.40
LTP100SC	1	5	25	5.50

### 90 CONNECTORS

ORDER #	SIZE	BOX QTY.	CASE QTY.	LIST
LTP050NC	1/2"	10	50	3.65
LTP075NC	3/4"	10	50	5.35
LTP100NC	1	5	25	12.35

PAGE E - 6  
OCTOBER - 2011



# PREMIER PUMP & SUPPLY, INC.

PROVIDING YOU WITH THE VERY BEST SERVICE IN THE INDUSTRY!

ULTRATITE PROVIDES THE SAFEST POSSIBLE PROTECTION FOR EXTREMELY WET AND OILY LOCATIONS. THE TOUGH ULTRABOND ANCHORED POLYVINYL CHLORIDE EXTRUDED COVER SEALS THE SPIRALLY-WOUND, SQUARELOCKED FLEXIBLE GALVANIZED STEEL CORE. IT ELIMINATES MAINTENANCE AND DOWNTIME DUE TO WIRING FAILURE, INSURING MAXIMUM PRODUCTIVITY. IT SEALS OUT WEATHER, WATER, CORROSIVE FUMES AND GASSES, GREASE, DIRT, SALT, AIR AND SPRAY.



## ULTRATITE TYPE "EF" LIQUID TIGHT

\*\* MEETS JIC REQUIREMENTS \*\*

ORDER #	CONDUIT SIZE	CARTON SIZE	SHIPPING WEIGHT	TYPE "EF" LIST PER /C
LT050JIC	1/2"	100'	100'	136.00
LT075JIC	3/4"	100'	100'	175.00
LT100JIC	1"	100'	100'	257.00
LT125JIC	1 1/4"	50'	50'	332.00
LT150JIC	1 1/2"	50'	55'	628.00

QUANTITY DISCOUNT: 5 BOXES

## METALLIC LIQUID TIGHT CONDUIT FITTINGS

DESCRIPTION	ORDER #	SIZE	QUANTITY		LIST
			CARTON	CASE	
 STRAIGHT CONNECTORS	LT050SC	1/2"	25	100	4.95
	LT075SC	3/4"	25	50	7.05
	LT100SC	1"	10	50	13.25
	LT125SC	1 1/4"	5	25	24.65
	LT150SC	1 1/2"	2	10	34.55
	LT200SC	2"	1	5	63.15
 90 ANGLE CONNECTORS	LT050NC	1/2"	25	50	8.00
	LT075NC	3/4"	10	50	12.20
	LT100NC	1"	5	25	28.10
	LT125NC	1 1/4"	5	25	50.90
	LT150NC	1 1/2"	2	10	61.85
	LT200NC	2"	1	5	88.50

\*\*QUANTITY DISCOUNT - CASE QUANTITY

PAGE E - 7  
APRIL - 2010



# Furnas

## STANDARD PUMP PANEL WITH SOLID STATE O/L, CLASS 87

TRIP CLASS 10  
 NEMA 3R ENCLOSURE  
 SOLID STATE OVERLOAD W/PHASE LOSS PROTECTION  
 FUSIBLE DISCONNECT

NEW CATALOG #	OLD CATALOG #	HP	SIZE	VOLTAGE	NEW O/L AMP RANGE	OLD O/L AMP RANGE	FUSE CLIP AMPS	LIST PRICE *
87DUC6LC	87DSD6LC	2	1	230	3 - 12	2.5 - 10	30	1136.00
87DUD6LC	87DSE6LC	3	1	230	5.5 - 22	9 - 18	30	1136.00
87DUE6LC	87DSF6LC	5	1	230	10 - 40	13 - 27	30	1136.00
87DUE6PC	87DSF6PC	7.5	1	230	10 - 40	13 - 27	60	1154.00
87EUE6LC	87ESG6LC	10	1.75	230	10 - 40	20 - 40	60	1356.00
87FUF6LC	87FSH6LC	15	2	230	13 - 52	22 - 45	60	1529.00
87GUG6PC	87GSJ6PC	20	2.5	230	25 - 100	30 - 60	100	2069.00
87HUG6LC	87HSK6LC	25-30	3	230	25 - 100	45 - 90	100	1999.00
87DUC6FC	87DSD6FC	3 - 5	1	460	3 - 12	2.5 - 10	30	1154.00
87DUD6FC	87DSE6FC	7.5 - 10	1	460	5.5 - 22	9 - 18	30	1154.00
87EUE6FC	87ESF6FC	15	1.75	460	10 - 40	13 - 27	30	1358.00
87FUF6FC	87FSH6FC	20 - 25	2	460	13 - 52	22 - 45	60	1556.00
87GUG6FC	87GSH6FC	30	2.5	460	13 - 52	22 - 45	60	2029.00
87HUG6FC	87HSK6FC	40 - 50	3	460	25 - 100	45 - 90	100	2041.00
87IUH6FC	87ISL6FC	60 - 75	3.5	460	50 - 200	57 - 115	200	3471.00
87JUH6FC	87JSM6FC	100	4	460	50 - 200	67 - 135	200	3756.00

\* LESS FUSES (SEE PAGE 29)

PAGE E - 8  
 DECEMBER - 2011



# Furnas

## ESP100 3-PHASE STARTER

**CLASS 14  
 SOLID STATE OVERLOAD WITH MANUAL RESET  
 NO ENCLOSURE**

OLD CATALOG #	NEW CATALOG #	SIZE	VOLTAGE	OVERLOAD RELAY RANGE	LIST PRICE
14CSE32AC51	14CUD32AC	0	230/460	9 - 18	638.00
14DSF32AC51	14DUE32AC	1	230/460	9 - 18	721.00
14ESG32AC51	14EUE32AC	1.75	230/460	20 - 40	970.00
14FSH32AC51	14FUF32AC	2	230/460	22 - 45	1,252.00
14GSH32AC51	14GUG32AC	2.5	230/460	22 - 45	1,615.00
14HSJ32AC51	14HUG32AC	3	230/460	30 - 60	1,981.00
14ISL32AC51	14IUH32AC	3.5	230/460	57 - 115	3,771.00
14JTM32AC51	14JUH32AC	4	230/460	67-135	4433.00

**MAGNETIC STARTERS w/ESP OVERLOAD  
 3 PHASE NEMA1 ENCLOSURE**

MODEL	SIZE	F. L. AMPS	VOLTAGE	LIST
14CSE32BC51	0	9-18	240V	671.00
14DSF32BC51	1	13-27	240V	755.00
14ESG32BC51	1-3/4	20-40	240V	1002.00
14GSH32BC51	2-1/2	22-45	460V	1865.00






# PREMIER PUMP & SUPPLY, INC.

PROVIDING YOU WITH THE VERY BEST SERVICE IN THE INDUSTRY!



## BULLET™ CLASS RK5 DUAL ELEMENT TIME-DELAY FUSES



DESCRIPTION	FUSE AMPS	VOLT	SUBMERSIBLE PUMP HP	LIST
ECNR15	15	250	3	7.60
ECNR25	25	250	5	7.60
ECNR30	30	250	7.5	7.60
ECNR35	35	250	10	14.00
ECNR60	60	250	15	14.00
ECNR70	70	250	20	31.00
ECNR90	90	250	25	33.00
ECNR100	100	250	--	31.00
ECNR110	110	250	30	77.50
ECNR125	125	250	40	68.00

ECSR10	10	600	5	19.00
ECSR15	15	600	7.5	17.00
ECSR20	20	600	10	17.00
ECSR30	30	600	15	17.00
ECSR35	35	600	20	29.00
ECSR45	45	600	25	29.00
ECSR50	50	600	30	29.00
ECSR60	60	600	--	29.00
ECSR70	70	600	40	59.50
ECSR90	90	600	50	59.50
ECSR100	100	600	60	59.50
ECSR125	125	600	75	119.00
ECSR150	150	600	100	119.00
ECSR200	200	600	--	119.00

PAGE E - 10

MAY - 2009



# Furnas

DEFINITE PURPOSE CONTACTORS					
MODEL	F. L. AMPS	VOLTAGE	POLE	LIST	WITH ENCLOSURE
45EG20AG	30	240V	2	41.00	85.00
45GG20AG	40	240V	2	51.50	95.50
42CF15AJ	40	24V	2	66.00	112.00
42CF15AF	40	115V	2	66.00	112.00
F42CF15AG	40	240V	2	66.00	112.00
ENCLOSURE					
6" X 8" X 4"	NEMA 3		44.00		




FURNAS PARTS			
AC COILS			
ORDER NO.	SIZE	VOLTAGE	LIST
75D73070C	00 THRU 2 1/2	230/460	206.00
75D73070A	00 THRU 2 1/2	115/230	206.00
75D73251C	3 THRU 3 1/2	230/460	444.00

HUBBELL (FURNAS) PRESSURE SWITCHES			
MFG. NO.	PRESSURE	VOLTAGE	LIST
69WC7	GUARD IT	69WC7	70.00

FURNAS PARTS		
BIMETAL HEATERS		
ORDER NO.	TYPE	LIST
K-NUMBER	QUICK TRIP	25.00
E-NUMBER	STANDARD	25.00
CONTACT KITS		
ORDER NO.	SIZE	LIST
75DF14	1	149.00
75EF14	1 3/4	223.00
75FF14	2	272.00
HAND-OFF-SWITCH		
49SAS01	0 THRU 3 1/2	179.50
PUSH BUTTON		
49SAP05	0 THRU 3 1/2	179.50




**PREMIER PUMP & SUPPLY, INC.**  
 PROVIDING YOU WITH THE VERY BEST SERVICE IN THE INDUSTRY!



**SQUARE D**  
*We Respond<sup>®</sup>*

PRESSURE AND FLOAT SWITCHES			
MODEL	RATING 230V	DESCRIPTION	LIST
FSG-2	2 HP	MAX. RANGE TO 65#	21.00
FSG-2(M-1)	2 HP	WITH MANUAL CUTOFF LEVER	25.00
FSG-2(M-4)	2 HP	LOW PRESSURE VARIATION	28.00
FYG-2	3 HP	MAX. RANGE TO 80#	31.00
FYG-2(M-1)	3 HP	WITH MANUAL CUTOFF LEVER	35.00
FYG-2(M-4)	3 HP	LOW PRESSURE VARIATION	37.00
GSG-2	3 HP	LARGE ENCLOSURE, RANGE TO 80#	74.50
GSG-2(R)	3 HP	SAME, REVERSE ACTION	86.50
GHG-2	3 HP	SAME, MAX. RANGE TO 200#	74.50
GHG-2(R)	3 HP	SAME, REVERSE ACTION	86.50
DG-2	3 HP	FLOAT SWITCH, ROD OPERATED	48.00
DG-2(R)	3 HP	SAME, REVERSE ACTION	54.00
DG-2(CR)	3 HP	SAME, COMPENSATION SPRING	63.00
GG-2	3 HP	FLOAT SWITCH, ROD OPERATED, LARGE ENCLOSURE ( RATED TO 5 HP 3 PHASE ) UNIT IS REVERSIBLE	91.00
HG-33R HG-31R		FLOAT SWITCH, PUMP UP, 2 1/2 NPT CONNECTION, 45 ANGLE OFFSET	122.25 122.25
A-6C		7" SS CENTER HOLE FLOAT BALL WITH 5' OF BRASS TUBING AND 4 STOPS	145.00
A-6		7" SS SPUD FLOAT BALL WITH 5' OF BRASS TUBING AND 2 STOPS	124.00
<b>** QUANTITY DISCOUNT: 20 SWITCHES **</b>			

\*CHICO- (800) 342-6022 FAX (530) 342-6636 \*FRESNO (800) 538-4100 FAX (559) 834-6800  
 \*RANCHO CORDOVA (800) 248-5225 FAX (916) 638-0344 \*SANTA ROSA (888) 899-3565 FAX (707) 573-0308  
 \*TURLOCK (866) 669-0220 FAX (209) 669-0202 \*SAN BERNARDINO (877) 796-8181 FAX (909) 799-8118



**SQUARE D**  
*We Respond<sup>®</sup>*



FUSIBLE DISCONNECT SWITCHES

CATALOG NUMBER	FUSE TYPE	HORSEPOWER RATING				NEMA - 1 INTERIOR	NEMA - 3R RAIN TIGHT
		STANDARD		MAXIMUM			
		1 PH	3 PH	1 PH	3 PH		
D 211 N	PLUG	1/2HP	1.5HP	2HP	3HP	Call for Pricing	Call for Pricing
D 211 NRB	PLUG	1/2HP	1.5HP	2HP	3HP		
D 221 N	CARTRIDGE	1.5HP	3HP	3HP	7.5HP		
D 221 NRB	CARTRIDGE	1.5HP	3HP	3HP	7.5HP		
QUANTITY DISCOUNT - NONE							



MERRILL PRESSURE SWITCHES			
MODEL	1PH RATING 230V	DESCRIPTION	LIST
<b>STANDARD DUTY</b>			
MPS3050	2HP	SET @ 30-50 PRESSURE RANGE (ADJUSTABLE)	18.00
MPS4060	2HP	SET @ 40-60 PRESSURE RANGE (ADJUSTABLE)	18.00
<b>HEAVY DUTY</b>			
MPSHD6080	3HP	SET @ 60-80 PRESSURE RANGE (ADJUSTABLE)	49.00
MPSHD80100	3HP	SET @ 80-100 PRESSURE RANGE (ADJUSTABLE)	49.00
** QUANTITY DISCOUNT: 20 SWITCHES **			

\*CHICO- (800) 342-6022 FAX (530) 342-6636 \*FRESNO (800) 538-4100 FAX (559) 834-6800  
 \*RANCHO CORDOVA (800) 248-5225 FAX (916) 638-0344 \*SANTA ROSA (888) 899-3565 FAX (707) 573-0308  
 \*TURLOCK (866) 669-0220 FAX (209) 669-0202 \*SAN BERNARDINO (877) 796-8181 FAX (909) 799-8118



# PREMIER PUMP & SUPPLY, INC.

PROVIDING YOU WITH THE VERY BEST SERVICE IN THE INDUSTRY!

## VANGUARD ELECTROLYTIC START CAPACITORS

PLASTIC CASE, INDIVIDUALLY BOXED WITH UNIVERSAL 3 WAY QUICK - CONNECT TERMINALS					
PART NO.	125 VAC MFD	LIST	PART NO.	250 VAC MFD	LIST
BC - 43	43 - 53	8.65	BC 43M - 250	43 - 53	12.35
BC - 56	53 - 64	9.05	BC 53M - 250	53 - 64	13.15
BC - 64	64 - 72	9.10	BC 64M - 250	64 - 77	14.00
BC - 75	75 - 84	9.10	BC 72M - 250	72 - 88	14.00
BC - 86	86 - 96	8.50	BC 88M - 250	88 - 108	14.00
BC - 108	108 - 120	8.10	BC 108M - 250	108 - 130	14.45
BC - 124	124 - 138	8.55	BC 124M - 250	124 - 149	15.60
BC - 130	130 - 156	8.95	BC130M - 250	130 - 156	17.00
BC - 145	145 - 162	9.10	BC 145M - 250	145 - 175	17.00
BC - 161	161 - 180	8.60	BC 161M - 250	161 - 193	18.35
BC -189	189 - 227	9.15	BC 189M - 250	189 - 259	20.80
BC - 216	216 - 259	9.85	BC 216M - 250	216 - 259	22.50
BC - 243	243 - 292	10.25	BC 233M - 250	233 - 280	23.65
BC - 270	270 - 324	10.25	BC 280M - 250	250 - 280	25.45
BC - 324	324 - 360	11.75		<b>330 VAC</b>	
BC - 340	340 - 408	12.80	BC 36M - 330	36 - 43	14.60
BC - 378	378 - 450	12.90	BC 88M - 330	88 - 106	18.90
BC - 400	400 - 480	13.00	BC 108M - 330	108 - 130	21.55
BC - 460	460 - 552	14.45	BC 130M - 330	130 - 156	24.00
BC - 540	540 - 648	16.00	BC 161M - 330	161 - 193	33.50
			BC 189M - 330	189 - 227	35.50
			BC 216M - 330	216 - 259	36.45
			BC 270M - 330	270 - 324	42.20

QUANTITY DISCOUNT 12 CAPACITORS

VANGUARD RUN CAPACITORS / VOLTAGE RELAY					
			RD-30-370V	30 MFD ROUND	26.00
RD-10-370V	10 MFD ROUND	15.15	RD-35-370V	35 MFD ROUND	30.00
RD-15-370V	15 MFD ROUND	19.00	RD-40-370V	40 MFD ROUND	33.00
RD-17.5-370V	17.5 MFD RND	20.00	RD-45-370V	45 MFD ROUND	36.00
RD-20-370V	20 MFD ROUND	21.00	155031102	230V RELAY	<b>67.34</b>

QUANTITY DISCOUNT 12 RUN CAPACITORS

FRANKLIN CONTROL BOX		USE PART NUMBER	FRANKLIN CONTROLBOX		USE PART NUMBER
1/3 HP	115V	BC - 161	1 HP	230V	BC 108M - 250
1/2 HP	115V	BC - 243	1 1/2 HP	230V	BC 108M - 250
1/3 HP	230V	BC 43M -250	2 HP	230V	BC 108M - 250
1/2 HP	230V	BC 64M - 250	3 HP	230V	BC 216M - 250
3/4 HP	230V	BC 88M - 250	5 HP	230V	BC 216M - 330

PAGE E - 14  
MAY - 2011